


General Equipment list - Europe









GENERAL SPECIFICATIONS_____

 L.O.A: Hull length: Overall width: Beam: Light displacement (EC): Air draft (max): Draught: Fuel tank: Water tank: Maximum engine power: 	11,29m 10,81m 4,03m 3,96m 8 252kg 5,50m 1,17m 800L 2 x 150L 1 x 425 HP	37'0" 35'6" 13'3" 13' 18,187 lbs 18'1" 3'10" 211 US Gal 2 x 40 US Gal 1 x 425 HP
Maximum engine power:Max engine certification:	1 x 425 HP 425 HP	1 x 425 HP 425 HP

ARCHITECTS / DESIGNERS ____

- Naval Architect: BENETEAU POWER
- Exterior and interior design: ANDREANI DESIGN

EC CERTIFICATION _____

- Category B 8 people
- Category C 10 people
- Category D 11 people





General Equipment list - Europe

STANDARD EQUIPMENT

CONSTRUCTION _____

HULL

Composition:

- · Sandwich (Polyester resin Glass fiber / Balsa core)
- · White gelcoat 9010
- Structural hull counter moulding in monolithic laminate (Polyester resin - Glass fiber)

Profile:

· Semi-floating hull

DECK

Composition:

- · Sandwich (Polyester resin Glass fiber / Balsa core)
- Structural counter moulding in monolithic laminate (Polyester resin-Glass fiber)
- · White gelcoat 9010
- · Diamond tip type non-slip covering

AMBIANCE

- Alpi Iro-Deck interior woodwork
- · Rovere Aleve floors
- · Marlin Brilliant White PVC interior upholstery
- · Nautilus Aspargus PVC pilot bench seat interior cushions
- · Marlin Brilliant White PVC filtering foam flybridge exterior cushions
- · Interval 22 opaque inside curtains

DECK EQUIPMENT

Gangway door to starboard

MOORING LINES - MOORING

- · Stainless steel bow fitting
- · Stainless steel bow roller and swing
- 10 Mooring cleats (L 300mm / 12")
- · Stainless steel gunwale guards
- · 1 Mooring locker with self-bailer Hood cover

SAFETY ON DECK

- · Handrails in cockpit
- · Stainless steel open pulpit

COCKPIT

- · Self-bailing cockpit
- · 1 Locker in cockpit bottom gas piston assisted and lockable
- · Gas cylinder locker
- · Hot/cold water cockpit shower
- · Place on the ceiling for integration of the aft closing
- · Seat cockpit
- 3 door opening transom
- 1 Stainless steel, removable swim ladder
- · 1 Access door to the side deck from the cockpit
- · Water filling drain plug
- · Grey water drain filler (Option)
- Shore power socket (220V)
- · 2 Waterproof speakers

FLYBRIDGE

- · Flybridge self-draining
- Stainless steel access ladder to the flybridge with wooden steps and stainless steel handrails, vertical folding
- Polyester trap door with gas piston
- · PMMA tinted windscreen
- · Stainless steel pulpit surrounding aft of flybridge
- Stainless steel access to flybridge with flag holder, all horizon light, places for VHF aerial and radar
- Pilot console with control panel including: Electric engine controls, Electric windlass control*, Thruster* and Flaps
- · Fuel gauge indicator
- · Tiller angle indicator
- Space for navigation electronics
- · Steering wheel stainless steel
- Steering compass
- · Hydraulic steering
- Fog horn
- 12 V socket
- · 2 Waterproof speakers
- Glass rack
- 1 Adjustable pilot seat
- Flybridge saloon on port side consisting of a U-shaped bench seat with built-in storage and a removable solid wood table
- · Filtering foam PVC upholstery

^{*} according to options



General Equipment list - Europe

INTERIOR

SALOON

Headroom: 1,96m / 6'5"

- Sofa convertible into double berth (1,20 x 2,00m / 3'11' x 6'7")
- · Height adjustable fold down saloon table in varnished wood
- · 2 Aluminum director's chairs
- · Storage cupboards
- · Shelving unit
- 3 leaved aft window door with black lacquered aluminum frame
- · 2 Loud speakers, in wheelhouse
- · Inside curtains around the wheelhouse
- Saloon / galley separation interior curtain (Option)

GALLEY

Headroom: 1,96m / 6'5" U-shaped galley - Includes:

- Work top
- 2 Stainless steel sinks with covering flap, hot and cold water mixer pressure tap
- 2 hob cooker and gas oven
- 130 L front opening fridge (supplied by 12V)
- · Cutlery drawer
- Storage
- · 220V Sockets
- 220V 3
- · Marlin Brilliant White PVC removable cushion on work top

STEERING STATION

- · Two-seater pilot and copilot bench
- · Removable floor step
- · Storage under pilot bench
- Sliding side bay window with 1 opening panel with direct access to the starboard side deck
- · Clear glass windscreen with aluminum frames, black lacquered
- 3 Electric windscreen wipers with synchronizing system
- · Windscreen washer
- Demister
- Opening dashboard console with large place to receive the navigation electronics
- Engine dials: Revolution counter, Fuel gauge, Warnings, Tiller angle indicator, Flap indicators
- Electric windlass control*
- Control "Bow and stern thrusters" *
- · Navigation lights
- Fog horn
- · Engine control
- · Leather covered steering wheel
- · Steering compass
- 12 V socket
- 2 cup holders

HEAD (STARBOARD)

Headroom: 1,92m / 6'4"

- Mirror
- Towel rack under top
- · Upper cupboard, Lower unit
- Socket
- 1 Opening porthole with curtain
- · Quiet Flush deluxe electric toilet with freshwater / seawater switch
- Washbasin
- Mixer tap
- Rigid holding tank (88L / 23 US Gal)
- · Chrome toilet paper holder
- · Shower screen in PMMA

OWNER'S CABIN (FORWARD)

Headroom: 1,97m / 6'6"

- Double berth (2,00 x 1,50m / 6'7" x 4'11")
- · Marine mattress
- 2 Closets, one with shelves
- · Large storage space under berths
- · 1 Opening hatch with blackout blind
- · 2 Opening hull portholes with blackout curtains

GUEST CABINS (PORT)

Headroom: 1,95m / 6'5"

- Bunk beds (0,70 x 1,90m / 2'4" x 6'3")
- Marine mattress
- Lower unit
- · Storage under berth
- · 2 Opening hull portholes with blackout curtains

^{*} according to options



General Equipment list - Europe

ENGINE ___

- · Shaft line propulsion
- Propeller
- Single engine Cummins® QSB6.7I 425 HP / HP (313Kw)
- · Fuel filter with decanter
- · Seawater filter
- Engine room soundproofed with high density foam 40 mm / 1-1/2" thick
- · Air intakes for engine hold cooling, on deck
- Extinguisher
- · Fuel tank deck filler
- Aluminum fuel tank (Capacity = 800L / 211 US Gal) pre-fitted for FPS (Fuel Polishing System) connection system
- Steering system: Hung rudder, in stainless steel
- Hydraulic steering
- · Electric trim tabs
- · Bow thruster

ELECTRICITY

- Electrical panel (12V / 220V)
- Shore power socket (220V)
- 2 Engine batteries (12V 50Ah)
- 1 Service battery (12V 140)
- · Battery charger
- 2 12V Sockets
- · Interior lighting (Overhead lights, reading lights)
- Outside lighting (Navigation lights, 360° light, Spot cockpit, Blue LEDs at the flybridge)

PLUMBING

- 1 Manual bilge pump (Cockpit)
- 1 Electric bilge pump automatic
- · Water pump for pressurising hot/cold water system
- 25 L / 7 US Gal water heater working off engine exchanger and 220 V
- · Water tank filler
- 2 Water tanks (2 x 150L / 2 x 40 US Gal)
- 1 Grey water buffer tank (8L / 2 US Gal)
- 2 Greywater tanks (2 x 80L / 2 x 21 US Gal) (Option)
- 1 88 L / 23 US Gal rigid holding tank

SMART BOARD

"SEANAPPS" smart technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.

seamapps

CONNECT YOUR BOAT FREE YOUR MIND

MISCELLANEOUS ITEMS

· Smoke detector



General Equipment list - Europe

TRIM LEVEL & PACKS

TRIM LEVEL _____

	ESSENTIAL	CONFORT
1000 W Electric windlass		-
Fresh water deck washing pump		
• 12V / 220V inverter (700 VA)		
Raymarine 9" screen with Downvision sounder in wheelhouse		
Raymarine 9" screen on flybridge	•	•
double VHF set with AIS	•	•
Cup holders		•
Set of flybridge covers (Bench seat, console, Table)		
Shore fresh water supply		
Refrigerated drawer (30L / 1'10 Cu.ft) on flybridge		

PACKS_____

PACK UPGRADE ELECTRONIC

- · Automatic pilot p70RS with repeater on the flybridge
- Multifunction 12" screen in wheelhouse in place of the 9"
- Multifonction screen 12" on flybridge in place of the 9"

AIR CONDITIONING PACK

- 7,5 kVA Generator (230V / 50Hz)
- Reversible air conditioning 34 kBTU

OPTIONS

AMBIANCE __

- Version Alpi oak strip & brown oak floor
- · Greige fabric interior upholstery
- · Crevin Noah 52 fabric interior upholstery
- Confort Dolce 51 external upholstery, with bolster seat on flybridge
- African spirit grey lined carpet in the wheelhouse
- Skye 53 carpet (2 Cabins + Passageway)
- Infinity Zah Factor cream cockpit carpet



General Equipment list - Europe

INTERIOR LAYOUT / ONBOARD COMFORT _____

- · Reversible air conditioning 34 kBTU
- Forced air heating fuel 5 500 W
- · Pre-wiring for heating
- Pre-fitting for microwave oven and grill 220V (as replacement for gas oven)
- Ceramic hob 2 burners 220V / 50Hz (replacing gas stove)
- 75 L drawer freezer + ice maker 220V / 50Hz
- Pre-fitting for Ice Maker 230V / 60Hz
- TV pre-wiring (Fusion Apollo 670 + Loud speakers) in the saloon
- TV pre-wiring (Fusion Apollo 670 + Loud speakers) in the forward cabin
- Timing interval 22 galley / saloon separation curtain
- Mosquito screens (Side door + Aft window door + Round portholes)
- · Additional pouffe in saloon
- · Wooden folding seat, in head compartment
- Tableware 6 people

EXTERIOR OPTIONS _____

- · Complete mooring kit:
 - Delta anchor 16 kg/35 lbs
 - Chain (10mm diameter) 28m/91'10"
 - Mooring line (18mm diameter) 40m/131'3"
 - 4 Mooring ropes (14mm diameter) 10m/32'10"
- 6 Fenders (250mm diameter) height 700 mm/2'4"
- · Hydraulic gangway
- Outside protections: (Oyster or Graphite)
 - Aft cockpit closing
- Bimini + Flybridge dodgers
- Flybridge softop with Oyster lighting + Dodger
- · Telescopic davits
- · Foldaway seats on transom, matching the exterior upholstery
- Sun deck mattress with cover (filtering foam)
- · Pearl grey hull
- Black Sunworker outside wheelhouse and starboard side deck curtains
- · Folding cockpit table

ELECTRICAL SYSTEM____

Deck searchlight

WATER SYSTEM

• Grey water tanks (2 x 80 L) with deck / sea drainage

ENGINE _

- stern thruster
- · Zipwake automatic trim system

NAVIGATION ELECTRONICS _____

- IP aft camera with inverted image
- · Raymarine Quantum digital Radar
- Windvane / Anenometer
- Raymarine ClearCruise (augmented reality)